



VeneerBric™ Technical Information

GENERAL INFORMATION:

N/A

PHYSICAL PROPERTIES:

DESCRIPTION	VALUE
Item Shape	Flat sheet
Material	100 % Polyester
Construction	3 ply
Weight	7.6 oz/ sq yd
Width	58"
Length	120"

TECHNICAL PROPERTIES:

PROPERTY	TEST METHOD
Flame Retardancy	NFPA 701

ADDITIONAL INFORMATION:**VeneerBric Acoustical Testing Report**

3/4" fiberglass-fabric, A-Mod,	NRC 0.70
1" fiberglass-fabric A,	NRC 0.80
1" fiberglass-fabric A-Mod,	NRC 0.85
1-1/8" H.I.R. fiberglass-fabric A,	NRC 0.95
1-1/2" fiberglass-fabric A,	NRC 1.05
2" fiberglass-fabric A-Mod,	NRC 1.10
1/2" Mineral Board-fabric A,	NRC 0.50
3/4" Mineral Board-fabric A,	NRC 0.65

NOTE:

1. All fiberglass (F/G) core tested was 6-7 p.c.f.
2. Mounting referred to as Mod. (modified) is a test with 3/16" air space between panel and substrate to simulate mechanical mounting.
3. A = attached direct to wall.
4. All testing conducted by certified NVLAP independent testing laboratory in accordance with ASTM C-423 – "Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method".

For specific stains and their cleaning recommendation, please see the guide below:

STAIN	RECOMMENDED CLEANING SOLUTIONS
BEER	Dawn® dishwashing liquid (2 oz.)/1 gallon water / white vinegar (3 oz.)
BERRY	Dawn® dishwashing liquid (2 oz.)/1 gallon water / ammonia (4-8 oz.)
BIRD DROPPINGS	Dawn® dishwashing liquid (2 oz.)/1 gallon water, or try Goo Gone Grease Cutter (a hand cleaner), Greased Lightning, or Clean Rite Purple Power (available at Wal-Mart, K-Mart, etc.)
BLOOD (DRIED)	Dawn® dishwashing liquid (2 oz.)/1 gallon water / ammonia (4-8 oz.)
BUTTER	Volatile solvent (acetone) 100%
CHARCOAL, PENCIL MARKS	Vacuum, then Dawn® dishwashing liquid (2 oz.)/1 gallon water
CATSUP OR MUSTARD	Dawn® dishwashing liquid (2 oz.)/1 gallon water
CHEWING GUM	Volatile solvent (acetone) 100%
CHOCOLATE	Dawn® dishwashing liquid (2 oz.)/1 gallon water / ammonia (4 oz.)
COFFEE	Dawn® dishwashing liquid /water, white vinegar, volatile solvent (acetone)
COLA	Dawn® dishwashing liquid (2 oz.)/1 gallon water
CRAYON	Paint remover (100%), oil or grease remover (mix as directed)
EGG (RAW)	Dawn® dishwashing liquid (2 oz.)/1 gallon water
GRAPE JUICE	Dawn® dishwashing liquid (2 oz.)/1 gallon water
GRAVY	Dawn® dishwashing liquid (2 oz.)/1 gallon water
GREASE (CAR)	Volatile solvent (acetone) 100%
INK (PERMANENT, INDIA, BALLPOINT)	Paint remover (100%), volatile solvent (acetone) 100%, soap and water
IRON RUST	Carbona™ Stain Devil #9
LIPSTICK	Paint remover, oil or grease remover (mix as directed)
MASCARA	Paint remover (100%), volatile solvent (acetone-100%), Dawn® dishwashing liquid (2 oz.)/1 gallon water
MILDEW	Bleach (1 cup) / Dawn® dishwashing liquid (2 oz.)/1 gallon water
MILK	Dawn® dishwashing liquid (2 oz.)/1 gallon water
NAIL POLISH	Volatile solvent (acetone) 100%
OIL	Volatile solvent (acetone) 100%
ORANGE DRINK	Dawn® dishwashing liquid (2 oz.)/1 gallon water
PAINT (LATEX) WET	Dawn® dishwashing liquid (2 oz.)/1 gallon water
PAINT (LATEX) DRIED	Paint remover (100%), oil or grease remover (mix as directed)
PAINT (OIL OR LACQUER)	Paint remover (100%), oil or grease remover (mix as directed)
SHOE POLISH (LIQUID)	Volatile solvent (acetone) 100%
SHOE POLISH (WAX)	Apply heated iron over towel, volatile solvent (acetone) 100%
SUNTAN LOTION	Pine Power® or pine oil detergent / water (mix as directed)
TEA	Dawn® dishwashing liquid (2 oz.)/1 gallon water
TOMATO JUICE	Dawn® dishwashing liquid (2 oz.)/1 gallon water
TREE SAP	Turpentine (100%), Dawn® dishwashing liquid (2 oz.)/1 gallon water
URINE	Dawn® dishwashing liquid (2 oz.)/1 gallon water / white vinegar (3 oz.)
VOMIT	Dawn® dishwashing liquid (2 oz.)/1 gallon water / white vinegar (3 oz.)
WATER COLOR	Dawn® dishwashing liquid (2 oz.)/1 gallon water / white vinegar (3 oz.)
WAX (CANDLE)	Apply heated iron over towel, volatile solvent (acetone) 100%
WINE	Dawn® dishwashing liquid (2 oz.)/1 gallon water / ammonia (4-8 oz.)/ white vinegar (3 oz.)

CONDITIONS & WARRANTY

Advanced Technology, Inc. believes all information contained herein to be correct. It is the responsibility of the fabricator/customer to completely test the adhesives and methods of fabrication to ensure that the results are satisfactory. ATI is not responsible for any fabrication or ancillary costs involved with using VeneerBric products.

All shipments are to be inspected within 10 working days after delivery. We are to be informed in writing of any potential adjustment necessary. The seller's only obligation will be to replace defective sheets on a one to one basis. Neither the manufacturer nor the seller shall be liable for any additional damage or loss, directly or indirectly, arising as a result of using VeneerBric products.

Slight imperfections and color variations from sheet to sheet are possible and considered normal. Please inspect each sheet carefully before fabrication to ensure it meets your needs.