



Design Beyond the Surface

ATI Decorative Laminates is a leading manufacturer of decorative surfacing solutions. Headquartered in Greensboro, NC since 1979, ATI provides solutions for the hospitality, healthcare and institutional, retail, commercial, and residential markets. Through our commitment to continuous improvement and our strong company values, our goal is to provide superior decorative products, quality customer service, and foster long-lasting relationships.

ATI products can be specified under the following CSI divisions:

- 06 64 00 MirroFlex Structures and MAX Decorative Wall Panels
- 09 50 00 MirroFlex Ceilings
- 09 51 00 MirroFlex Decorative Acoustic Ceilings
- 09 54 00 MirroFlex Ceilings and Light Diffusers
- 09 72 00 MirroFlex Structures and MAX Decorative Wall Panels
- 10 21 00 MirroFlex Tub and Shower Surrounds
- 10 26 00 MirroFlex Door Skins


ATI Decorative Laminates

6106 West Market Street | Greensboro, NC 27409 800.849.1320 | 336.668.0488 | Fax: 336.668.0713 | ATILaminates.com

ISO 9001:2015 Certified | ISO 14001:2015 Certified | HUB (Historically Underutilized Business) Certified









MirroFlex Contents

» je	
	THE FORMULA KALAHARI + GLOSS WHITE PAINTABLE

Design Beyond the Surface	
Discover MirroFlex	2
Why Choose MirroFlex?	4
Our Green Commitment	6
EccoFlex & EccoFlex 2.0	7
MirroFlex Structures	
Wall Panel Patterns	8
MirroFlex MAX	16
Tub & Shower Surrounds	20
MirroFlex Ceilings	
From Overhead to Outstanding	22
Ceiling Tile Patterns	24
Decorative Acoustic Ceiling Tiles	28
MirroFlex Lite & Drop-Out Ceiling Tiles	30
Light Diffusers	32
Flat Sheets	34
Door Skins	36
Custom Tooling	38
MirroFlex Ink'D	39
MirroFlex Finishes	40
Accessories	42
Fabrication & Installation	45
Tech, Terms, & FAQs	46
Quick Reference Guide	
Ceiling Patterns	48
Wall Panels	49
How to Order	50

Discover MirroFlex

ATI's MirroFlex Product Line empowers you to create stunning spaces effortlessly with MirroFlex Structures, Flat Sheets, and Accessories.

MirroFlex Structures are decorative, deeply textured thermoplastic panels ideal for walls, ceilings, furniture, and display fixtures. Offering a wide range of sizes and applications, these panels adapt seamlessly to contemporary and traditional designs alike. Featuring our unique Built-In Overlap (BIO) seam system, installation is streamlined with minimal visible seams, ensuring a polished and professional finish.

With hundreds of design and color combinations available through our custom program, the creative possibilities are endless. Use this catalog as a starting point for inspiration and connect with your ATI Representative for tailored guidance, technical advice, or to explore innovative solutions for your project.

Look for The Formula




THE FORMULA (pictured right) AUDREY + BRUSHED NICKEL



.25lb per Square Foot









Why Choose MirroFlex?

1. Easy to Install

Fabrication and installation of MirroFlex is easy. The product is compatible with many different adhesives and installation methods.

2. Lightweight and Flexible

Only .030" thick and .25 pounds per square foot.: Most sheets can be rolled and boxed for courier shipments, although some need to ship LTL.

3. TuffCote™

TuffCote[™], a revolutionary scratch-resistant protective shield, is added to some MirroFlex and MirroFlex Structures finishes. For further details, visit ATILaminates.com or call your ATI Customer Service Representative.

4. Class A Fire Rated

MirroFlex meets ASTM E-84 Class A requirements. Even though it is Class A Fire Rated, panels can be deformed with excessive heat. Never expose to over 140° F. Specific technical fire data is available upon request. Painted tiles may no longer be Class A Fire Rated under ASTM E-84 Class A and must be tested on an individual basis.

5. High Impact Resistant and Chemical Resistant

Complete testing data is available on our website.

6. Phthalate-free

ATI is proud of the fact that MirroFlex products are phthalate-free.

7. Matte Topcoat

Matte topcoat is available as special order for select finishes, minimums apply. Call your ATI Customer Service Representative for more information.

8. Paintable and Custom Colors

Certain MirroFlex finishes can be coated with a variety of paint types to match your desired finish. Custom colors are also available, minimums apply. See our technical information on our website or call your ATI Customer Service Representative for more information.

9. Made in USA and in an ISO Certified Facility

MirroFlex products are made with pride in the USA. ATI is ISO Certified which enables us to have the "hands on" control necessary to maintain the high standards customers expect from us.

10. MirroFlex Structures are available with custom designs

The possibilities are endless. Call your ATI Customer Service Representative to discuss your custom project.

Features

Lightweight + Flexible

Easy to Install

Impact Resistant


Abrasion Resistant

Chemical Resistant

Stain Resistant

Class A Fire Rated

TuffCote[™] Added to Some MirroFlex Finishes







ISO 14001 Environmental Management System

Is your business making a positive impact on the environment? At ATI Decorative Laminates, we value sustainability and are committed to responsible practices that protect the planet. By reducing waste, minimizing risks, and supporting eco-friendly initiatives, we aim to create meaningful change—one innovative surface at a time.



An ISO 9001:2015 Certified Company

ATI Decorative Laminates is committed to continual improvement through a life-cycle approach to manufacturing and product design. By carefully selecting raw materials, optimizing yields, and implementing end-of-life management strategies, we meet today's demands while building a sustainable future.



A commitment to innovation & growth

Our Manufacturing Initiatives

Exceeding Customer Expectations

Quality & Environmental Policy

ATI is dedicated to exceeding customer expectations through on-time delivery, accurate order processing, and continuous improvement. We prioritize pollution prevention, waste reduction, and compliance with environmental laws, regularly reviewing and enhancing our sustainability targets.

State-of-the-Art Facility & Renewable Energy Commitment

Located on 6.5 acres in Greensboro, North Carolina, our 70,000-square-foot facility reflects our dedication to advanced manufacturing and innovation. Since 2015, our Solar Manufacturing Offset Initiative has offset over 50% of energy consumption through renewable solar energy, significantly reducing our environmental footprint.

Sustainable Products

Most NuMetal High-Pressure Laminates (HPLs) are available for special order using 100% rapidly renewable, pre-consumer recycled materials. These phenol-free


laminates feature formaldehyde emissions of less than 0.01 PPM—among the lowest in the industry. The core material, made from 100% biological secondary components, is fully recyclable. Certified by Germany's EPH laboratory, our products meet CARB's stringent ATCM Phase 1 and 2 emission thresholds for HWPW, PB, and MD.

Circular Manufacturing Initiatives

We are pioneering "waste-to-profit" solutions, transforming manufacturing byproducts into raw materials for other products. Collaborating with supply chain partners, we reclaim materials used in final product assembly, reducing landfill waste and advancing sustainability across our value chain.

Commitment to Community and Workforce

ATI fosters a healthy work environment for employees and protects the communities we serve. Through responsible operations and continuous improvement, we strive to create a better, more sustainable future for all.



EccoFlex Tan Paintable

Making a Mindful Choice with EccoFlex

At ATI Decorative Laminates, sustainability drives our innovation. The MirroFlex line offers two eco-friendly options for architects and designers:

EccoFlex and PVC-free EccoFlex 2.0.

EccoFlex

EccoFlex is a phthalate-free, eco-friendly option made with 40% preconsumer recycled material. It offers the same benefits as MirroFlex—easy installation, flexibility, durability, and a premium appearance—and is available in EccoFlex Tan (Paintable).

EccoFlex 2.0

EccoFlex 2.0 is ATI's PVC-free alternative to MirroFlex, designed for sustainability. Made with PETG, it is recyclable* and delivers the same ease of use, flexibility, durability, and high-quality look. Ideal for applications where PVC isn't suitable, it provides a comparable solution at a similar price.

Explore finishes on pages 40-41 or visit ATILaminates.com/Resources for details. *Recycling availability varies by region.

Features

Recyclable

Lightweight + Flexible

Easy to Install

Impact Resistant

Abrasion Resistant

Chemical Resistant

Stain Resistant

Class A Fire Rated

MirroFlex Structures Wall Panel Patterns

4' x 8' and 4' x 10' Patterns: The Formula for Success Begins Here

MirroFlex Structures offer a wide range of deeply textured, 3-dimensional decorative wall panels for almost every wall paneling requirement. Whether a contemporary or more traditional design is required, MirroFlex decorative wall panels are available in over fifty 4' x 8' patterns, over thirty-five 4' x 10' patterns, and over forty unique finishes. The 4' x 8' and 4' x 10' wall panels also use our unique BIO or Bead + Button feature that makes seams less visible.


Combine these patterns with a broad spectrum of colors and patinas to create a custom look for modern or traditional spaces.

Represents 4' x 8' Panel Size Shown enlarged Alphabet Soup Pattern Name



Features











W10 BIO



W8 W10 BIO













W8 BIO











W8 W10 BIO
















Weave Vertical







Wall Panels












See our Quick Reference Guide on page 49 for additional notes on wall panels.








MirroFlex MAX | 4' x 8" Patterns: Wall Panels


Take Your Design to the MAX

MirroFlex MAX offers deeply textured 4'x 8' wall panels in a thicker .045" material that is color-through for superior scratch and impact resistance. These are our boldest 3-dimensional patterns to date and provide even greater depth to walls.

With six contemporary designs, MirroFlex MAX will make any space the envy of everyone. The 4' x 8' wall panels also use our unique Built-In-Overlap (BIO) feature that makes seams less visible.

Combine these patterns with five new finishes to create a unique, modern look for your space.





Features

Lightweight

Easy to Install

Impact Resistant


Abrasion Resistant

Chemical Resistant

Stain Resistant


Class A Fire Rated

Color-Through Material Perfect For High Traffic Areas




MirroFlex MAX Patterns

MirroFlex MAX





W8 BIO




W8 BIO





























W8 BIO


Tsunami

MirroFlex MAX Finishes












Winter White



Take your design to the MAX

Tub & Shower Surrounds


Tub & Shower Surrounds

Reskin Your Tub & Shower

MirroFlex Tub and Shower Walls are ideal for both residential and commercial environments with wet-area wall surfaces, including shower recesses and laundry walls. These robust wall surfaces are an attractive, economical alternative to traditional ceramic tiling. In fact, MirroFlex Tub and Shower Walls are a home renovator's dream thanks to their durable, non-porous, grout-free properties and easy installation and maintenance.

The standard kit includes three tub panels and finishing trim. Combine two tub side panels with folding corners and an adjustable back panel in your choice of 46" or 48". Be sure to check your existing tub measurements to determine which size will best suit your project.

Stock Patterns



Features

Lightweight + Flexible

Easy to Install


Easy to Clean

Contemporary Designs + Finishes Available

> Fits Most Common **Tub/Shower Sizes**

Kit Includes Trim, Adjustable Back Panel + 2 Side Panels (* Only Available in 46" Back Panel)





MirroFlex Ceilings

MirroFlex Ceilings

From Overhead to Outstanding

Ceilings have the power to transform a room. With MirroFlex Ceiling Tiles, you can introduce dimension, texture, and visual interest, enhancing the ambiance of any space. No longer just a flat, white surface, ceilings are now a canvas for bold expression. Thoughtfully designed ceilings can define a room's character, creating intimacy in expansive halls or adding a sense of openness to compact offices.

MirroFlex Ceiling Tiles are versatile, thermoplastic panels available in various patterns, finishes, and sizes to suit diverse design needs. With four innovative options, ATI provides solutions for nearly every installation scenario:

Glue-Up: Featuring an overlap system for seamless, fast installation on ceilings or walls. Available in 2' x 2' and 2' x 4' sizes.


Lay-In: Designed for 15/16" grid systems, with tegular options for added


depth. Some sizes may require adhesive for added stability.


Acoustic/Perforated: 2' x 2' Lay-In tiles engineered for enhanced sound absorption and acoustic performance.

MirroFlex Lite: Ultra-thin, budget-friendly 2' x 2' Lay-In tiles at just .013" thick.

Drop-Out Ceiling: Available in select finishes, designed specifically to meet requirements for a drop-out ceiling assembly where fire sprinklers are above the grid system.









Features

Hundreds of Design Options Available

Compatible with 15/16" Grid Systems

Lightweight + Easy to Install

Impact + Abrasion Resistant

Chemical Resistant

Class A Fire Rated

Borders Available


From overhead to outstanding

MirroFlex Ceilings

Ceiling Tile Patterns

2' x 2' and 2' x 4' Patterns:

Strikingly beautiful, intricately textured, and built to last—these qualities define every ATI MirroFlex Ceiling Tile. With a wide range of patterns, vibrant colors, and sophisticated patinas, these tiles provide endless possibilities for creating a custom aesthetic, whether your style leans modern or traditional.





Hundreds of Design **Options Available**

Compatible with 15/16" Grid Systems


Lightweight + Easy to Install

Impact + Abrasion Resistant


Chemical Resistant

Class A Fire Rated

Borders Available



See Quick Reference Guide on page 48 for notes on 2'x 2' and 2'x 4'Lay-Ins that have minimums/multiples when ordering.









Art Deco **G**⁴**L**²**L**⁴**AD**





Boston










Chesapeake




GIA



Chevron






Celestial

G2 (I) (A)



Dogwood

G G I A




Charleston

G⁴ **L**² **A**


Corrugated L² A D

Expanded Bead Board

TA




Curvation




Diamond Plate





Fleur **G**⁴**L**²**L**⁴**A**




TA

MirroFlex Ceilings

From overhead to outstanding

From overhead to outstanding

MirroFlex Ceilings



Fulton



Lotus TA



Portrait **G**⁴**L**²**L**⁴**AD**



Sahara GO (A) (D)



Georgian GOAD



Madison **G**⁴**L**²**L**⁴**AD**




Raised Panel Coffer TAD



San Diego **G**⁴**L**²**L**⁴**A**




Hurricane GO (A)



TA



Regalia **G**⁴ **L**² **A**



Savannah G²G⁴L²L⁴A



Inset Coffer TA



Mojave GOA



Rosette **G**⁴**L**²**L**⁴**AD**



Sculpted Petals TA












Tranquil TA



Star GIA



Wavation



GO (A)



TA



1 2' x 2' Lay-in, teg A 2' x 2' Acoustic/Perf

Strike

G2G4 (12 (14 A)

2' x 2' Lite + Drop-out



Decorative Acoustic Ceiling Tiles

Increase Style, Reduce Noise

MirroFlex Decorative Acoustic Ceiling Tiles offer customers the ability to add a decorative component to suspended ceilings with the added benefit of noise absorption. Unlike other acoustic ceiling tiles which are flat and plain, ATI's decorative acoustic tiles are very affordable and available in a wide variety of decorative patterns formed into the perforated tile. Over 40 of our pattern designs are available to meet most traditional and contemporary design needs. Other colors are also available in perforated acoustic tiles. Minimums will apply along with set-up fees. Please contact ATI Customer Service for more details about your specific needs.

The perforated tiles come in 2' x 2' size for Lay-In ceiling applications and are available in black or white (paintable), both in gloss or matte options. They can be used with existing mineral fiber tiles, eliminating the need to discard current materials and providing a higher NRC rating when used in combination. These tiles are Class A Fire rated, lightweight, and easy-to-install. MirroFlex Decorative Acoustic Ceiling Tiles have a low minimum order quantity and are ready to ship in two weeks or less.

We also offer an easy-to-install, hold-down clip system to help support Lay-In ceiling tiles. This clip system attaches to the top of any existing grid to hold (low or high profile) Lay-In ceiling tiles in place, preventing the tiles from flipping out of place from air leaks and creating a smooth visual.

Features

Over 40 Design **Options Available**

Lightweight + Easy to Install

Compatible with 15/16" Grid Systems

Class A Fire Rated

Borders Available

Compatible with Most Acoustic **Backers**

ASTM C423 + SAEJ2883 Tested for Noise Reduction



Gloss or Matte



Black Gloss or Matte

Decorative Acoustic Ceiling Tiles





MirroFlex Lite & Drop-Out Ceiling Tiles

Bringing Lightweight Ceiling Solutions to Beautiful New Heights

MirroFlex Lite is ATI's newest value-conscious ceiling solution. Our original MirroFlex Structures line has long been coveted as a durable, beautiful, and affordable option for designers and architects. With MirroFlex Lite, we've successfully combined many MirroFlex Ceiling Tile patterns with 10 of our most popular finishes into one sleek .013" thick package.

This product line is ultra-lightweight, ultra-thin, easy-to-install, and even more cost-effective than our traditional MirroFlex line. MirroFlex Lite Ceiling tiles are available as 2x2 lay-in tiles and also 2x4 glue-up tiles.

MirroFlex Lite is perfect for commercial spaces of every kind, including hospitality, retail, and healthcare. Get the same style you've come to expect from ATI with more value and flexibility than ever before.

The Advantage of MirroFlex Lite

- Same flexibility, durability, and versatility as MirroFlex
- Structures Thinner and easier to cut and fabricate
- Our most cost-effective solution for ceilings

Looking for a Drop-Out Ceiling Solution?

Gloss/Matte White is available as a Drop-Out Ceiling Tile, and is specifically designed to fall out when exposed to heat from a developing fire. Drop-Out Ceiling Tiles:

- Provide a sleek, seamless look for commercial ceilings by hiding fire sprinklers
- Protect fire sprinklers from accidental knocks and tampering, both of which can result in water damage
- Make sprinkler system design and position easier and more cost-effective, as they completely eliminate the need to lower the sprinklers

Lite & Drop-Out Ceiling Tiles



MirroFlex Lite Finishes



Antique Bronze N562



Bermuda Bronze N417



Brushed Copper CBS 514




Brushed Nickel N560



N190



Crosshatch Silver N419



Galvanized N561



Gloss/Matte White Paintable



Moonstone Copper N414



Smoked Pewter N519

Features

Easy to Clean

Over 10 Design Options
Available in 10 Popular Finishes
Lightweight + Easy to Install
Compatible with 15/16"
Grid Systems
UBC 26-3 Fire Tested
Class A Fire Rated
Impact + Abrasion
Resistant Properties

Light Diffusers


Light Diffusers

Evenly Dispersed Illumination

MirroFlex Light Diffusers are designed to replace existing prismatic diffusers in 15/16" grid system light boxes and add up to 30% brighter, more pleasing light. Unlike most ceiling lights which direct light downward causing computer screen glare, diffusers direct light from side-to-side creating evenly dispersed illumination – ideal for office work environments.

Designed to fit 2' x 2' (Wavation pattern only) and 2' x 4' light box fixtures, our diffusers have tegular/revealed edges for easy installation. Some patterns can be cut-to-size for use in almost any light box.

With a simple change to light diffusers, you can add a contemporary look to standard fluorescent light diffusers typically found in commercial interiors.



Features

4 Patterns Available in 2' x 4'

30% More Pleasing Light

Compatible with Light Boxes in 15/16" Grid Systems

Easy to Install


Class A Fire Rated

Wavation + Interlink Can be Cut to Size

Available with Tegular Edges



Basketweave




Interlink Can also be cut to Size



Revolution



Wavation Can also be cut to Size





MirroFlex | Solutions for Flat Sheets

Innovative Applications

ATI has always pushed the limits of creativity with its innovative, deeply textured MirroFlex Structures line. However, we support and encourage both designers and fabricators to utilize our MirroFlex Flat Sheets for installations that may require special consideration.

MirroFlex Flat Sheets can be used to create some very dramatic design effects, including the ability to be die cut to almost any shape needed (furniture parts, moldings, tables, etc.), and the ability to be bent and used on a wide range of curved surfaces from soft, easy bends to column wraps of relatively small diameter. They can be flat-laminated or profile-wrapped to various substrates.

ATI also offers cut-to-size options for flat sheets and we can laminate foils to a variety of plastic types (PVC*, ABS and HIPS) in various thicknesses and sizes, to be used in applications that include the following:

- Exhibits and Displays
- Door and Drawer Fascias
- Store Fixtures
- · Cabinets, Counters, and Shelving
- Molding and Framing
- Ceiling and Wall Panels
- RV / Auto / Marine

Flat Sheets are available in all MirroFlex Structure Finishes available on pages 40-41, plus many more available via stock and custom order.

MirroFlex Edge Banding and profile wrapping comes in a diverse color range of polished aluminum, polished brass, gold, brushed aluminum, brushed brass, stainless steel, and black. Edge banding can be combined with pressure sensitive adhesive, as well as with primed backing, for highspeed edging and profile wrapping.

Be sure to contact your ATI Customer Service Representative to inquire about our Engraving line of products, all laser engraveable.



THE FORMULA **CROSSHATCH SILVER**





Lightweight + Flexible

Impact Resistant **Abrasion Resistant**

Chemical Resistant

Cut to Size

Custom Capabilities


Toll Coating Capabilities

Pressure Sensitive Adhesive May be Added

Exterior Options Available



THE FORMULA **BRUSHED ALUMINUM**



^{*} When used in flat sheets, PVC may contain flow lines. Contact your ATI Customer Service Representative about substrate selection specific to your project.

MirroFlex Door Skins

Restore Your Door with Smart Resurfacing Solutions

Upgrade your flat panel interior doors by resurfacing with MirroFlex Door Skins—an easy, cost-effective way to achieve a fresh, modern look. Skip the hassle and expense of replacing damaged or older doors entirely. This ecofriendly solution keeps your old doors out of the waste stream, making it a smart choice for your space and the planet.

easily fabricated and cut and adhered onsite with budget-friendly, locally purchased 3M Fastbond 30-NF adhesive. MirroFlex Door Skins can also be provided with an adhesive backing at additional cost. Offering exceptional durability, they deliver a refreshed appearance and long-lasting protection against wear and tear.

Available in a wide variety of wood grain finishes, MirroFlex Door Skins are an ideal choice for both commercial and residential spaces. They create a warm, inviting entryway while saving time and money.



"It's faster, and more cost efficient than replacing or repairing an existing door."

- John Leandro Hermitage Retirement Center

MirroFlex Door Skins are designed for easy installation. Over-sized skins are

Alabaster Oak

N645

Driftwood Flax N603



American Oak

N641

Gibraltar Oak

Arctic Groovz

N629





Concrete Groovz

N626



N577





N643



Paintable

Blonde Maple

N649



N642



N647

Panache N627B

Portuna

N604

N651

Standard Maple

N650

Weathered Oak


N621

N646

Features

Large Stocked Selection Non-Stocked Options Available Impact, Scratch, Abrasion, and Chemical Resistant Easy to Clean Surfaces **Easy Installation** Class A Fire Rated (with recommended adhesive) Fits Most Door Sizes **Custom Sizes Easily Provided**





Gloss White (Paintable)

Audrey


Elevate Your Brand with Custom Tooling

With ATI's new MirroFlex Custom Tooling program, designs are limited only by your imagination. Our Custom Tooling program creates branded solutions that allow customers to incorporate one-of-a-kind designs and logos into the material. This yields a functional, durable and affordable branded surface for walls and ceilings. It's a tried and tested product that holds up even under the most strenuous use. Several finishes are available with TuffCote, which makes the product three times more scratch resistant.

ATI has designed Custom Tooling solutions for companies across the nation, from national restaurants and fitness centers to regional boutiques and retail stores. Work with an ATI sales associate to discuss your vision and have a custom tool created for your next project.

Four Easy Steps

- 1. Consultation + Tech Review
- 2. Design
- 3. Sampling
- 4. Production




Take Your Vision to a Whole New Dimension

Architectural and interior design have embraced multilayer imaging, enhancing applications such as dimensional wall panels often showcased in corporate spaces and retail environments. Combine a stock or custom MirroFlex pattern with digital printing for double the visual impact. ATI offers options like spot color and company logo printing, creating personalized solutions for unique applications. With durable inks designed to withstand bending and folding, MirroFlex maintains its flexibility while meeting the demands of intricate designs.

ATI also accommodates smaller custom finish orders, making it easier to bring creative visions to life. Engineered to exceed expectations, ATI's dimensional production and print capabilities deliver exceptional results for even the most discerning designers.

MirroFlex Finishes


MirroFlex Finishes



























Paintable




N613









Cashmere Melody NEW! N631



Most finishes are available for MirroFlex Structures, Ceilings, and Flat Sheets.

EccoFlex Tan is made from 40% pre-consumer recycled content; material and can contribute to LEED credits.



MirroFlex Accessories

MirroFlex Accessories

GridMax™

GridMax is a patented, snap-on grid cover designed to make ceiling grid systems invisible. It is cost effective and doesn't rust or scratch. GridMax is sized to fit over 15/16" T-bar suspension grid systems. GridMax profiles are available for many finishes. Please contact ATI Customer Service for more details about your specific needs.

Mains, tees, and moldings are necessary to cover the entire grid system. They are packaged together, to complete 100 square feet of ceiling, and sold separately to use as needed. See our finishes pages 40-41 for GridMax colors.









15/16" (24 mm) GridMax Applying GridMax Over T-bar
Suspension Grid System

Applying GridMax Over T-bar Suspension Grid System

It's simple; measure the perimeter and calculate the square footage.





Hold-Down Clip System for Ceilings

We also offer an easy-to-install, hold-down clip system to help support lay-in ceiling tiles. This clip system attaches to the top of any existing grid to hold (low or high profile) lay-in ceiling tiles in place, preventing the tiles from flipping out of place from air leaks and creating a smooth visual.




MirroFlex Trim

MirroFlex Trim is available to join and finish MirroFlex Structures. Edge J-Trim, Divider Trim, Inside Corners and Outside Corners are available in 8' lengths and can be easily cut to size. Trim profiles are available for many finishes. Please contact ATI Customer Service for more details about your specific needs.

The Edge J-Trim simply slides onto the cut edge of the panel. Most installations use decorative wood or metal moldings, but if these elements are not used, MirroFlex Trim will finish the edges nicely.





MirroFlex Corner Guard

MirroFlex 3" Corner Guard is designed to protect corners and offer a decorative finish to applications in high traffic areas. Available in Argent Bronze and Argent Silver, these corner guards are flexible, durable, easy to install over MirroFlex Wall Panels, and can be easily cut to size.







Corner Guard 3"

CORATIVE

Fabrication & Installation

BIO (Built-In-Overlap)

Our BIO has flat edges on two adjoining sides of the ATI MirroFlex Wall panel. By orienting all sheets in the same direction and overlapping the panels, the seams are less noticeable. The placement of the sheet is also more flexible so that slight imperfections in the substrate will not affect the finished look.

When overlapping four ATI MirroFlex Wall panels, it is necessary to cut a $\frac{1}{2}$ " notch in panels 2 and 3 to avoid a bulge where the panels meet.



Bead + Button

Certain MirroFlex patterns that do not have a BIO may have a Bead + Button feature. To install, overlap two or more sheets or tiles on the Bead + Button perimeter which will join at the pre-determined connection points.





Cleaning + Care

Clean only with warm, soapy water. Never use abrasive cleaners or anything with harsh chemicals. A high quality auto polish may be used to help protect the finish.


Storage

Store flat and acclimatize in the same environment for at least 24 hours before fabrication.

Fabrication & Installation

Multi-directional Installation

It's easy to design like a pro by alternating pattern direction when installing! Create checkerboard effects and more with 2' x 2' Glue-Up ceiling tiles Chevron, Flux, Lotus, Mojave, Sahara, and Wavation.



Inside + Outside Corners

Inside and outside corners can be a challenge for installers. In addition to our trim strips (shown on page 43), installers have successfully used a commercial heat gun to gently heat the proper areas and bend ATI MirroFlex Wall for great looking edges.





Adhesives

Many different adhesive and application techniques can be used to apply MirroFlex products. Trowel on latex adhesives are recommended for adhering MirroFlex sheets to a wall. Brush-on or roller-on types, non-flammable, and water based contact adhesives (which are suitable for PVC) can also work well with MirroFlex. ATI also offers a spray-on adhesive that can ship with sheet orders.

The following is meant as a guide line for adhesives that have been tested, and work well with MirroFlex products:

- Titebond Advanced Polymer
- Titebond Fast Grab FRP
- Spray-Lock FRP spray-on (ATI stocks and sells this adhesive and can ship with orders)



Tech, Terms, & FAQs

Terms

BIO (Built-In-Overlap)

Overlap system that hides seams and makes installation easy, fast, and forgiving.

Bead + Button

Certain MirroFlex patterns that do not have a BIO may have a Bead + Button feature. The Bead + Button overlaps two or more sheets or tiles on the bead and button perimeter which will join at the pre-determined connection points.

EccoFlex

Made from 40% pre-consumer recycled content material and contribute to LEED credits. See page 7.

EccoFlex 2.0

A PVC-free option that is recyclable and allows you to enjoy all of the same benefits of MirroFlex. See page 7.

GridMay

A patented, snap-on grid cover designed to make grid systems invisible. See page 42.

Tegular

The tile has 4 flat edges to allow the tile to fit nicely into the grid system. Tegular tiles are designed to fit most 15/16" and 9/16" 2' x 2' grid systems, and can be found in our Lay-In ceiling tiles.

Panels, Tiles, & Sheets

Wall Panels

Available in both 4' x 8' and 4' x 10' tiles, MirroFlex Structures deeply textured wall panels are designed with an overlap (see BIO) or Bead + Button system to make installation easy, fast, and forgiving.

Glue-Up Ceiling Tiles

Available in both 2' x 2' and 2' x 4' tiles, they are designed with an overlap (see BIO) or Bead + Button system to make installation easy, fast, and forgiving. Glue-Up tiles can be used on ceilings and walls.

Lay-In Ceiling Tiles

Available in both 2' x 2' and 2' x 4' sizes, Lay-In ceiling tiles are designed to lay inside 15/16" grid systems. Some 2' x 2' and 2' x 4' sizes might produce sag and require a small amount of panel adhesive in the center to adhere to an existing mineral fiber tile.

Acoustic/Perforated Ceiling Tiles

Available in 2' x 2' size, Decorative Acoustic ceiling tiles are perforated to increase sound absorption and offer acoustic qualities.

MirroFlex Lite Ceiling Tiles

Ultra-thin, cost-effective 2' x 2' Lay-In tiles that are .013" thick. Some finishes are available as a Drop-Out Ceiling Tile, designed to fall out of 15/16" grid systems when exposed to heat from a developing fire.

Since ATI products are used for many different applications, MasterFormat (CSI) numbering will vary. See the inside cover for MirroFlex MasterFormat (CSI) numbering.

Frequently Asked Questions

Can I customize MirroFlex with my own design or a custom color?

Yes. Due to the manufacturing processes, there is a minimum requirement for a custom design or color. We will be glad to discuss the requirements with you and see if this solution is feasible for your project.

Do the seams show in MirroFlex panels and Glue-Up ceiling tiles when you put them side by side?

MirroFlex panels and Glue-Up ceiling tiles with the BIO (Built In Overlap) feature are designed to minimize the appearance of seams and makes installation easy and forgiving.

How do you cut MirroFlex?

MirroFlex can be easily cut using normal household scissors or a utility knife. Remember to measure and mark a straight line before you make your cut. If using a utility knife, score the sheet on the front/decorative side and then break the product as opposed to cutting all the way through.

What is "cut-to-size"?

When ATI cuts the product to fit your size specifications. There is a charge for cut-to-size orders, and certain tolerances apply.

How does MirroFlex ship?

ATI makes every effort to ship in the most efficient way. We have partnered with packaging engineers and specialists to develop special cartons, skids, and crates for shipping.

What is the heat resistance of MirroFlex? Can I use it in my kitchen?

Never expose MirroFlex products to heat in excess of 140° F. It can be used in kitchens, but refrain from installing it behind a drop-in cooktop, as it may deform when exposed to heat. MirroFlex should not be exposed to long periods of excessive heat.

What types of substrates can MirroFlex be applied to? With the proper adhesive, virtually any substrate will work.

How do you determine fire, impact, and stain resistance? ATI employs third-party testing facilities to independently verify MirroFlex's technical attributes.



Visit our YouTube channel to learn more about ATI products. YouTube.com/MirroFlex

Technical Info

Tech, Terms, & FAQs

Class A Fire Rated
Test: ASTM E-84

Results: Class A

Solvent Resistance Results: 50 MEK

MEK Double Rubs/Crockmeter

Results: Withstands 70 cycles

Impact Resistance

Test: ASTM D5420

Results: >2" lbs per mill of thickness

Abrasion Resistance

Test: Taber

Results:

Patina w/ TuffCote: 4,700* Argent Finishes: 5,000*

EccoFlex Finishes: 1,000*

Humidity

Test: 12 hours 96-100% RH @ 40° C on MDF

Mold Testing

Test: ASTM G21

Results: <1% of Growth

Noise Reduction Coefficient Test: ASTM C423 + SAE J2883



Check ATILaminates.com for updated technical information and installation videos for MirroFlex products.

Contact us, we are here to help.

800.849.1320 Text Us at 336.389.8273

sales@advtechnology.com

ATILaminates.com/MirroFlex

Live Chat Feature also Available!



Quick Reference Guide

Quick Reference Guide

Ceilings: 2' x 2' Lay-In Patterns

	1	
Pattern	Tegular	Notes
Americana	•	A
Art Deco		A, D
Baltimore		A
Boston		A
Celestial		А
Charleston		A
Chesapeake	•	A
Chevron		A, D, 1
Colonial		A, D
Corrugated		A, D
Curvation	•	А
Diamond Plate		A
Dogwood	•	А
Expanded Bead Board		A, 1
Fleur		A
Flux		A, D, 1
Fulton	•	A, D
Georgian		A, D
Hurricane	•	А
Inset Coffer		A

Pattern	Tegular	Notes
Lotus		A, 1
Madison		A, D
Metal Plates		A
Mojave		A, 1
Portrait		A, D
Raised Panel Coffer		A, D
Regalia		A
Rosette		A, D
Sahara	•	A, D, 1
San Diego		A
Savannah		А
Sculpted Petals		
South Beach		A, D
Star		A
Storm	•	A
Strike		A
Tidal	•	А
Tranquil		A, D
Wavation		A, D, 1
Zest		A, D

Ceilings: 2' x 2' Glue-Up Patterns

Pattern	BIO	Notes	Pattern	BIO	Notes	Pattern	BIO	Notes
Americana	•		Curvation	•		Savannah	•	
Baltimore	•		Dogwood	•		South Beach	•	
Boston	•		Georgian	•		Star	•	
Celestial	•		Hurricane	•		Storm	•	
Chesapeake	•		Mojave	•		Strike	•	
Colonial	•		Sahara	•	1	Wavation	•	1

Ceilings: 2' x 4' Glue-Up and Lay-In Patterns

Pattern	BIO	Notes	Pattern	BIO	Notes	Pattern	BIO	Notes
Art Deco	••		Dogwood	•		Rosette	••	
Baltimore	••		Fleur	••		San Diego	••	
Boston	••		Madison	••		Savannah	••	
Charleston	••		Portrait	••		Strike	••	
Diamond Plate	•		Regalia			Wavation		

Wall Panels: 4' x 8' and 4' x 10' Patterns

Pattern	4' x 8'	4' x 10'	BIO	Notes
Alphabet Soup	Ø	Ø		
Ariel	Ø	Ø		
Audrey	Ø			
Bamboo	Ø	Ø		
Bead Board	Ø	Ø		
Bee Hive	Ø	Ø		
Boston	Ø	Ø		
Bowtie	•	Ø		
Brick		Ø		
Camelot	Ø	Ø		
Cascade	Ø			
Cayman	•			
Celestial	Ø	Ø		
Celtic Weave	Ø	Ø		
Channel	•	Ø		
Charleston	Ø	Ø		
Chocolate Squares	0	Ø		
Curvation	Ø	Ø		
Curves	Ø	Ø		
Damask	0			
Diamond Plate	Ø			
Dogwood	0			
Dome 1	Ø			
Dome 2	0			
Dome 3	Ø			
Fluted	Ø	•		
Glacier	9	Ø		
Gobi	Ø	Ø		
Gobi Vertical	Ø	Ø		
Herringbone	0	Ø		
Inferno	9	Ø		
Interlink		Ø		
Japanese Weave	9	Ø		
Kalahari	Ŏ	Ø		
Kelp				

Pattern	4' x 8'	4' x 10'	BIO	Notes
Marquis	Ø			
Merlin	•	Ø		
Metal Plates	•	Ø		
Mini Dome	•	Ø		
Mini Quadro	Ø			
Mojave	•	Ø		
Mojave Vertical	Ø	Ø		
Morocco	•			
Nettle	•			
Pandora	•	Ø		
Quadro	•	Ø		
Quilted	•			
Random Lines	Ø			2
Rib 1	Ø	Ø	•	
Rib 2	•	Ø		
Ridges	•	Ø	•	
Safari	•	Ø		
Sahara	•	Ø		
Sahara Vertical	•	Ø		
Savannah	•	Ø		
Sculpted Petals	•	Ø		
Shallot	Ø	Ø	•	
South Beach	Ø	Ø		
Square 5	Ø	Ø		
Strike	Ø	Ø		
Subway Tile	Ø	Ø	•	
Subway Tile Vertical	Ø	Ø		
Tetrus	•	•		
Versa-Tile	Ø	•		
Vista	Ø	Ø		
Wavation	Ø	Ø		
Wavation Vertical	0	Ø		
Weave	•	Ø		
Weave Vertical	Ø	Ø		

Key

- For wall panel designs; available in size
- BIO (Built-In-Overlap)
- ●● Bead + Button Style
- A Available in Acoustic/Perforated. Some patterns with this feature may be slightly less defined
- D Available as MirroFlex Lite and Drop-Out Ceiling Tiles
- 1 Create a unique ceiling design by alternating each tile's orientation
- 2 Special instructions required; call Customer Service at 800.849.1320

How to Order

How to Order

Laminate should be MirroFlex Structures (can also be MirroFlex) brand produced by ATI Decorative Laminates, Greensboro, North Carolina.

Pattern Name

Color Name and Number

Size

Type of Installation (Wall, Glue-Up Ceiling, Lay-In Ceiling, Fixtures, Columns; specify other)

Order Processing

Most orders are acknowledged within 24 hours. In-stock orders generally ship within 2 business days after acknowledgement is sent. Expect lead times for ATI's made-to-order products to be 15 business days (3 weeks) from when order is received, until it ships. Minimums and multiples apply in many cases.

Return Policy

Due to ATI's fast lead times and low minimum quantities, consider most made-to-order items as non-returnable. Samples available upon request. All shipments are to be inspected within 10 working days of delivery. We are to be informed in writing of any potential adjustment necessary.

Sample

Due to printer and digital screen limitations, patterns and finishes shown in this catalog may not accurately reflect MirroFlex. Request tangible samples to be verified and approved prior to specification and final application.

Conditions and Warranty

ATI Decorative Laminates warrants to the original consumer purchaser for one (1) year after date of purchase that, under normal use and service, MirroFlex, Fusion, NuMetal, and LumiSplash™ products are free from manufacturing defects and conform to published specifications. This warranty applies as long as the consumer purchaser and/or installer follows ATI's installation instructions (methods), which also includes using recommended adhesives, when adhering ATI's products to recommended surfaces. ATI Decorative Laminates' products are intended for primarily interior applications.

ATI Decorative Laminates believes all information contained herein to be correct. It is the responsibility of the fabricator/customer to completely test the adhesives and methods of fabrication to ensure that the results are satisfactory. The seller's only obligation will be to replace product on a one-to-one basis in the event it is covered under the above warranty. ATI is not responsible for any fabrication, ancillary, or labor costs involved with using its products. Neither the manufacturer nor the seller shall be liable for any additional damage or loss, directly or indirectly, arising as a result of using its products.

Slight imperfections and color variations can occur and are considered normal. Please inspect each product carefully before fabrication to ensure it meets your needs.



Contact us, we are here to help.

800.849.1320
Text Us at 336.389.8273
sales@advtechnology.com
ATILaminates.com/MirroFlex
Live Chat Feature also Available!





Design Beyond the Surface

ATILaminates.com/MirroFlex 800.849.1320